AMENDMENTS TO THE CLAIMS

10 / 501272 Bec'd PCT/PTO 0 9 JUL 2004

Please amend claims 3, 4, 5, 6, 7, 8, 9 and 10 and add new claims 11-43 as follows:

- 1. (Original) A pharmaceutical formulation for use in repelling and/or killing human head lice comprising a solution of Neem Oil and a surfactant.
- 2. (Original) A formulation as claimed in claim 1, wherein the solution comprises from about 1% w/w to about 1.25% w/w or Neem Oil and from about 0.2% to about 0.3% w/w of surfactant.
- 3. (Currently amended) A formulation as claimed in claim 1 or claim 2, wherein the surfactant is cetrimonium chloride.
- 4. (Currently amended) A formulation as claimed in any one of claims 1, 2, or 3, wherein the cetrimonium chloride is present in the composition at about 0.25% w/w of the compound.
- 5. (Currently amended) A formulation as claimed in any one of claims 1 to 4, wherein the composition further comprises trace triethanolamine in an amount of about approximately 0.1% to 0.06% w/w of the composition.
- 6. (Currently amended) A formulation as claimed in any one of claims 1 to 5, wherein the composition further comprises isopropyl alcohol.
- 7. (Currently amended) A formulation as claimed in any one of claims 1 to 6, wherein the solution further comprises either ethyl alcohol or light liquid paraffin.
- 8. (Currently amended) A formulation as claimed in any one of claims 1 to 7, wherein the solution comprises the following formulation

Aqua (water) - 91.155%;

Cetearyl alcohol - 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol - 0.675%;

Cetrimonium chloride 26% - 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract - 0.05%; and

Tethanolamine – 0.01%.

9. (Currently amended) A formulation as claimed in any one of claims 1 to 7, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol – 4%;

Glyceryl stearate – 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% - 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract – 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine - 0.06%.

- 10. (Currently amended) The user of a formulation as per any of the preceding claims 1 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 11. (New) A formulation as claimed in claim 2, wherein the surfactant is cetrimonium chloride.
- 12. (New) A formulation as claimed in claim 2, wherein the cetrimonium chloride is present in the composition at about 0.25% w/w of the compound.

- 13. (New) A formulation as claimed in claim 3, wherein the cetrimonium chloride is present in the composition at about 0.25% w/w of the compound.
- 14. (New) A formulation as claimed in claim 4, wherein the composition further comprises trace triethanolamine in an amount of about 0.1% to 0.06% w/w of the composition.
- 15. (New)A formulation as claimed in any one of claim 2, wherein the composition further comprises isopropyl alcohol.
- 16. (New)A formulation as claimed in any one of claim 3, wherein the composition further comprises isopropyl alcohol.
- 17. (New) A formulation as claimed in any one of claim 4, wherein the composition further comprises isopropyl alcohol.
- 18. (New) A formulation as claimed in any one of claim 5, wherein the composition further comprises isopropyl alcohol.
- 19. (New) A formulation as claimed in any one of claim 2, wherein the solution further comprises either ethyl alcohol or light liquid paraffin.
- 20. (New) A formulation as claimed in any one of claim 3, wherein the solution further comprises either ethyl alcohol or light liquid paraffin.
- 21. (New) A formulation as claimed in any one of claim 4, wherein the solution further comprises either ethyl alcohol or light liquid paraffin.
- 22. (New) A formulation as claimed in any one of claim 5, wherein the solution further comprises either ethyl alcohol or light liquid paraffin.
- 23. (New) A formulation as claimed in any one of claim 6, wherein the solution further comprises either ethyl alcohol or light liquid paraffin.
- 24. (New) A formulation as claimed in claim 2, wherein the solution comprises the following formulation:

(_)

```
Aqua (water) – 91.155%;
```

Cetearyl alcohol - 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract – 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract - 0.05%; and

Tethanolamine – 0.01%.

25. (New) A formulation as claimed in claim 3, wherein the solution comprises the following formulation:

Aqua (water) - 91.155%;

Cetearyl alcohol – 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% - 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract - 0.05%; and

Tethanolamine - 0.01%.

26. (New) A formulation as claimed in claim 4, wherein the solution comprises the following formulation:

Aqua (water) - 91.155%;

Cetearyl alcohol - 4%;

Glyceryl stearate – 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil - 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract - 0.05%; and

Tethanolamine - 0.01%.

27. (New) A formulation as claimed in claim 5, wherein the solution comprises the following formulation:

Aqua (water) - 91.155%;

Cetearyl alcohol – 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract – 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine - 0.01%.

28. (New) A formulation as claimed in claim 6, wherein the solution comprises the following formulation:

Aqua (water) – 91.155%;

Cetearyl alcohol - 4%;

Glyceryl stearate – 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% - 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine – 0.01%.

29. (New) A formulation as claimed in claim 7, wherein the solution comprises the following formulation:

Aqua (water) - 91.155%;

Cetearyl alcohol – 4%;

Glyceryl stearate – 2%;

Melia Azadirachta seed oil (Neem Oil) – 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract – 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine – 0.01%.

30. (New) A formulation as claimed in claim 2, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol - 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil - 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine - 0.06%.

31. A formulation as claimed in claim 3, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol - 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% - 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract – 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and Tethanolamine – 0.06%.

32. A formulation as claimed in claim 4, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol - 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) – 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine - 0.06%.

33. A formulation as claimed in claim 5, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol – 4%;

Glyceryl stearate – 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% - 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben – 0.15%;

Thymus Vulgaris (Thyme) extract – 0.05%; and

Tethanolamine - 0.06%.

34. A formulation as claimed in claim 6, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol - 4%;

Glyceryl stearate - 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% – 0.26%;

Melaleuca Alternifolia (Tea Tree) leaf oil – 0.25%;

Lavandula Angustifolia (Lavender) oil – 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben - 0.15%;

Thymus Vulgaris (Thyme) extract - 0.05%; and

Tethanolamine – 0.06%.

35. A formulation as claimed in claim 7, wherein the solution comprises the following formulation:

Aqua (water) - 91.105%;

Cetearyl alcohol – 4%;

Glyceryl stearate – 2%;

Melia Azadirachta seed oil (Neem Oil) - 1%;

Propylene glycol – 0.675%;

Cetrimonium chloride 26% - 0.26%;

1

Melaleuca Alternifolia (Tea Tree) leaf oil - 0.25%;

Lavandula Angustifolia (Lavender) oil - 0.25%;

Urtica Dioica (Nettle) extract - 0.2%;

Methylparaben & Propylparaben & Ethylparaben - 0.15%;

Thymus Vulgaris (Thyme) extract - 0.05%; and

Tethanolamine - 0.06%.

- 36. (New) The user of a formulation as per claim 2 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 37. (New) The user of a formulation as per claim 3 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 38. (New) The user of a formulation as per claim 4 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 39. (New) The user of a formulation as per claim 5 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 40. (New) The user of a formulation as per claim 6 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 41. (New) The user of a formulation as per claim 7 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 42. (New) The user of a formulation as per claim 8 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.
- 43. (New) The user of a formulation as per claim 9 for the manufacture of a medicament for the prevention and treatment of head lice infestation in humans.